

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.116USU1	Application Number: 09/592,695
	Applicant: COCHRAN ET AL.	
	Filing Date: JUNE 13, 2000	Group Art Unit: 1627 ³⁹
	Customer No.: 23552	

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
Tdw	5,627,024	05/06/1997	Maruyama et al.			
↓	5,766,905	06/16/1998	Studier et al.			
↓	5,821,047	10/13/1998	Garrard et al.			
↓	6,180,343	01/30/2001	Anderson et al.			

FOREIGN PATENT DOCUMENTS							
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
Tdw	WO 95/34683	12/21/1995	PCT				
↓	WO 97/29185	08/14/1997	PCT				
↓	WO 00/20574	04/13/2000	PCT				
↓	WO 00/77194	12/21/2000	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
Tdw		Alexander et al., "Thermodynamic Analysis of the Folding of the Streptococcal Protein G IgG-Binding Domains B1 and B2: Why Small Proteins Tend to have High Denaturation Temperatures", <u>Biochemistry</u> , 31:3597-3603 (1992)
↓		Allen et al., "Finding prospective partners in the library: the two-hybrid system and phage display find a match", <u>TIBS</u> , 20:511-516 (1995)
↓		Barbas, "Recent advances in phage display", <u>Current Opinion in Biotechnology</u> , 4:526-530 (1993)
↓		Bass et al., "Hormone Phage: An Enrichment Method for Variant Proteins with Altered Binding Properties", <u>Proteins: Structure, Function, and Genetics</u> , 8(4):309-314 (1990)
↓		Becktel and Schellman, "Protein Stability Curves", <u>Biopolymers</u> , 26:1859-1877 (1987)
↓		Biachi et al., "A Conformationally Homogeneous Combinatorial Peptide Library", <u>J. Mol. Biol.</u> , 247:154-160 (1995)
↓		Blanco et al., "A short linear peptide that folds into a native stable B-hairpin in aqueous solution", <u>Structural Biology</u> , 1(9):584-590 (September 1994)
↓		Bradbury and Cattaneo, "The use of phage display in neurobiology", <u>Trends in Neuroscience</u> , 18:243-249 (1995)
↓		Choo and Klug, "Designing DNA-binding proteins on the surface of filamentous phage", <u>Current Opinion in Biotechnology</u> , 6:431-436 (1995)

EXAMINER <i>T. Whelan</i>	DATE CONSIDERED <i>8/29/02</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.116USU1	Application Number: 09/592,695
	Applicant: COCHRAN ET AL.	
	Filing Date: JUNE 13, 2000	Group Art Unit: 1627 ^{DS}
	Customer No.: 23552	

New	Chothia, "Coiling of B-Pleated Sheets", <u>J. Mol. Biol.</u> , 163:107-117 (1983)
1	Clackson and Wells, "In vitro selection from protein and peptide libraries", <u>Trends Biotechnol.</u> , 12:173-184 (1994)
	Clackson et al., "Making antibody fragments using phage display libraries", <u>Nature</u> , 352:624-628 (1991)
1	Cochran et al., "A Minimal Peptide Scaffold for B-Turn Display: Optimizing a Strand Position in Disulfide-Cyclized B-Hairpins", <u>J. Am. Chem. Soc.</u> , 123:625-632 (2001)
	Cortese et al., "Identification of biologically active peptides using random libraries displayed on phage", <u>Current Opinion in Biotechnology</u> , 6:73-80 (1995)
	Cortese et al., "Selection of biologically active peptides by phage display of random peptide libraries", <u>Current Opinion in Biotechnology</u> , 7:616-621 (1996)
	Cunningham and Wells, "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis", <u>Science</u> , 244:1081-1085 (1989)
	Cwirla et al., "Peptides on phage: a vast library of peptides for identifying ligands", <u>Proc. Natl. Acad. Sci. USA</u> , 87(16):6378-6382 (1990)
	Dunn, I.S., "Phage display of proteins", <u>Current Opinion in Biotechnology</u> , 7:547-553 (1996)
	Efimov et al., "Bacteriophage T4 as a Surface Display Vector", <u>Virus Genes</u> , 10(2):173-177 (1995)
1	Espinosa and Gellman, "A Designed B-Hairpin Containing a Natural Hydrophobic Cluster", <u>Angew. Chem. Int. Ed.</u> , 39(13):2330-2333 (2000)
	Felici, "Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition Vector", <u>J. Mol. Biol.</u> , 222:301-310 (1991)
	Fowlkes et al., "Multipurpose Vectors for Peptide Expression on the M13 Viral Surface", <u>BioTechniques</u> , 13(3):422-427 (1992)
1	Gill and von Hippel, "Calculation of Protein Extinction Coefficients from Amino Acid Sequence Data", <u>Analytical Biochemistry</u> , 182:319-326 (1989)
1	Gram et al., "In vitro selection and affinity maturation of antibodies from a naive combinatorial immunoglobulin library", <u>Proc. Natl. Acad. Sci. USA</u> , 89(8):3576-3580 (1992)
1	Greenwood et al., "Peptides from Plasmodium Falciparum Circumsporozoite Protein as Antigens", <u>J. Mol. Bio.</u> , 220:821-827 (1991)
	Gururaja et al., "A novel artificial loop scaffold for the noncovalent constraint of peptides", <u>Chem. & Biol.</u> , 7:515-527 (2000)
	Havel, "An Evaluation of Computational Strategies for Use in the Determination of Protein Structure from Distance Constraints Obtained by Nuclear Magnetic Resonance", <u>Prog. Biophys. Molec. Biol.</u> , 56:43-78 (1991)
H	Hogrefe et al., "Cloning in a bacteriophage lambda vector for the display of binding proteins on filamentous phage", <u>Gene</u> , 137:85-91 (1993)

EXAMINER <i>t. W. W. W.</i>	DATE CONSIDERED <i>8/29/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.116USU1	Application Number: 09/592,695
	Applicant: COCHRAN ET AL.	
	Filing Date: JUNE 13, 2000	Group Art Unit: 1627 ²⁹
	Customer No.: 23552	

<i>Draw</i>		Honda et al., "Thermodynamics of a B-Hairpin Structure: Evidence for Cooperative Formation of Folding Nucleus", <u>J. Mol. Biol.</u> , 295:269-278 (2000)
		Hoogenboom et al., "Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains", <u>Nucleic Acids Research</u> , 19(15):4133-4137 (1991)
		Iannolo et al., "Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein", <u>J. Mol. Biol.</u> , 248:835-844 (1995)
		Jiang et al., "Display of a PorA peptide from Neisseria meningitidis on the bacteriophage T4 capsid surface", <u>Chemical Abstracts</u> , (Abstract No. 44380q) 128(5):147 (1998)
		Johnson et al., "Analysis of Data from the Analytical Ultracentrifuge by Nonlinear Least-Squares Techniques", <u>Biophys. J.</u> , 36:575-588 (December 1981)
		Kang et al., "Linkage of recognition and replication functions by assembling combinatorial antibody Fab libraries along phage surfaces", <u>Proc. Natl. Acad. Sci. USA</u> , 88:4363-4366 (1991)
		Karle et al., "Cyclic Cystine Peptides. Antiparallel B-Sheet Conformation for the 2-Membered Ring in Boc-Cys-Val-Aib-Ala-Leu-Cys-NHMe", <u>American Chemical Society</u> , 110:1958-1963 (1988)
		Kessler et al., "Peptide Conformations. 42. ^{1,2} Conformation of Side Chains in Peptides Using Heteronuclear Coupling Constants Obtained by Two-Dimensional NMR Spectroscopy", <u>J. Am. Chem. Soc.</u> , 109:6927-6933 (1987)
		Kortemme et al., "Design of a 20-Amino Acid, Three-Stranded B-Sheet Protein", <u>Science</u> , 281:253-256 (July 10, 1998)
		Lindqvist and Naderi, "Peptide presentation by bacteriophage P4", <u>FEMS Microbiology Reviews</u> , 17:33-39 (1995)
		Lowman and Wells, "Monovalent Phage Display: A method for Selecting Variant Proteins from Random Libraries", <u>Methods: Comp. to Methods Enzymol.</u> , 3(3):205-216 (1991)
		Lowman et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", <u>Biochemistry</u> , 30(45):10832-10838 (1991)
		Makowski, L., "Structural constraints on the display of foreign peptides on filamentous bacteriophages", <u>Gene</u> , 128:5-11 (1993)
		Malik and Perham, "New vectors for peptide display on the surface of filamentous bacteriophage", <u>Gene</u> , 171:49-51 (1996)
		Markland et al., "Design, construction and function of a multicopy display vector using fusions to the major coat protein of bacteriophage M13", <u>Gene</u> , 109:13-19 (1991)
		Marks et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage", <u>J. Mol. Biol.</u> , 222:581-597 (1991)
		McCafferty et al., "Phage antibodies: filamentous phage displaying antibody variable domains", <u>Nature</u> , 348:552-554 (1990)
<i>X</i>		McGregor, "Selection of proteins and peptides from libraries displayed on filamentous bacteriophage", <u>Molecular</u>

EXAMINER <i>T. Alsmady</i>	DATE CONSIDERED <i>8/29/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.116USU1	Application Number: 09/592,695
	Applicant: COCHRAN ET AL.	
	Filing Date: JUNE 13, 2000	Group Art Unit: 1627 ⁸⁹
	Customer No.: 23552	

		Biotechnology, 6:155-162 (1995)
Tdw		McLafferty et al., "M13 bacteriophage displaying disulfide-constrained microproteins", <u>Gene</u> , 128:29-36 (1993)
		Merrifield, R.B., "Solid Phase Peptide Synthesis. I. The Synthesis of a Tetrapeptide", <u>J. Am. Chem. Soc.</u> , 85:2149-2154 (1963)
		Minor and Kim, "Measurement of the B-sheet-forming propensities of amino acids", <u>Nature</u> , 367:660-663 (February 17, 1994)
		Munoz et al., "Folding dynamics and mechanism of B-hairpin formation", <u>Nature</u> , 390:196-199 (November 13, 1997)
		O'Boyle et al., "Identification of a novel peptide substrate of HSV-1 protease using substrate phage display", <u>Virology</u> , 236:338-347 (1997)
		O'Neil and Hoess, "Phase display: protein engineering by directed evolution", <u>Current Opinion in Structural Biology</u> , 5:443-449 (1995)
		Privalov and Gill, "Stability of Protein Structure and Hydrophobic Interaction", <u>Advances in Protein Chemistry</u> , 39:191-234 (1988)
		Ramirez-Alvarado et al., "B-Hairpin and B-Sheet Formation in Designed Linear Peptides", <u>Bioorganic & Medicinal Chemistry</u> , 7:93-103 (1999)
		Ramirez-Alvarado et al., "Conformational analysis of peptides corresponding to all the secondary structure elements of protein L B1 domain: Secondary structure propensities are not conserved in proteins with the same fold", <u>Protein Science</u> , 6:162-174 (1997)
		Ramirez-Alvarado et al., "De novo design and structural analysis of a model B-hairpin peptide system", <u>Nature Structural Biology</u> , 3(7):604-612 (July 1996)
		Ramirez-Alvarado et al., "Role of B-Turn Residues in B-Hairpin Formation and Stability in Designed Peptides", <u>J. Mol. Biol.</u> , 273:898-912 (1997)
		Ren et al., "Cloning of linear DNAs in vivo by overexpressed T4 DNA ligase: construction of a T4 phage hoc gene display vector", <u>Chemical Abstracts</u> , (Abstract No. 215644q) 127(16):155 (1997)
		Ren et al., "Phage display of intact domains at high copy number: A system based on SOC, the small outer capsid protein of bacteriophage T4", <u>Protein Science</u> , 5:1833-1843 (1996)
		Ren et al., "Phage T4 SOC and HOC display of biologically active, full-length proteins on the viral capsid", <u>Gene</u> , 215:439-444 (1998)
		Rietman et al., "The solution structure of the synthetic circular peptide CGVSRQGKPYC NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13", <u>Eur. J. of Biochem.</u> , 238:706-713 (1996)
		Russell and Cochran, "Designing Stable B-Hairpins: Energetic Contributions from Cross-Strand Residues", <u>J. Am. Chem. Soc.</u> , 122:12660-12601 (2000)
✓		Scott and Smith, "Searching for peptide ligands with an epitope library", <u>Science</u> , 249:386-390 (1990)

EXAMINER <i>T. Wessner</i>	DATE CONSIDERED <i>8/24/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)	Docket Number: 11669.116USU1	Application Number: 09/592,695
	Applicant: COCHRAN ET AL.	
	Filing Date: JUNE 13, 2000	Group Art Unit: 1627 ³⁹
	Customer No.: 23552	

TW		Sibanda et al., "Conformation of B-Hairpins in Protein Structures", <u>J. Mol. Biol.</u> , 206:759-777 (1989)
		Skelton et al., "Determination of the Solution Structure of the Peptide Hormone Guanylin: Observation of a Novel Form of Topological Stereoisomerism", <u>Biochemistry</u> , 33:13581-13592 (1994)
		Smith and Scott, "Libraries of Peptides and Proteins Displayed on Filamentous Phage", <u>Methods in Enzymology</u> , 217:228-257 (1993)
		Smith, "Surface display and peptide libraries", <u>Gene</u> , 128:1-2 (1993)
		Smith, G.P., "Surface presentation of protein epitopes using bacteriophage expression systems", <u>Curr. Opin. Biotechnol.</u> , 2(5):668-673 (1991)
		Soumillion et al., "Phage display of enzymes and in vitro selection for catalytic activity", <u>Applied Biochemistry and Biotechnology</u> , 47:175-190 (1994)
		Stanger and Gellman, "Rules for Antiparallel B-Sheet Design: D-Pro-Gly is Superior to L-Asn-Gly for B-Hairpin Nucleation", <u>J. Am. Chem. Soc.</u> , 120:4236-4237 (1998)
		Syud et al., "NMR-Based Quantification of B-Sheet Populations in Aqueous Solution through Use of Reference Peptides for the Folded and Unfold States", <u>J. Am. Chem. Soc.</u> , 121:11577-11578 (1999)
		Thennarasu and Nagaraj, "Synthetic Peptides Corresponding to the B-Hairpin Loop of Rabbit Defensin NP-2 Show Antimicrobial Activity", <u>Biochem. & Biophys. Res. Comm.</u> , 254:281-283 (1999)
		Walse et al., "Structure of a cyclic peptide with a catalytic triad, determined by computer simulation and NMR spectroscopy", <u>J. Comput. Aided Mol. Des.</u> , 10:11-22 (1996)
		Wells et al., "Cassette Mutagenesis: an Efficient Method for Generation of Multiple Mutations at Defined Sites", <u>Gene</u> , 34(2-3):315-323 (1985)
		Zerella et al., "Autonomous folding of a peptide corresponding to the N-terminal B-hairpin from ubiquitin", <u>Protein Science</u> , 8:1320-1331 (1999)
		Zerella et al., "Structural characterization of a mutant peptide derived from ubiquitin: Implications for protein folding", <u>Protein Science</u> , 9:2142-2150 (2000)
		Zhang et al., "Synthetic CD4 exocyclic peptides antagonize CD4 holoreceptor binding and T cell activation", <u>Nature Biotechnology</u> , 14:472-475 (April 1996)
		Zhang et al., "Synthetic CD4 exocyclics inhibit binding of human immunodeficiency virus type 1 envelope to CD4 and virus replication in T lymphocytes", <u>Nature Biotechnology</u> , 15(2):150-154 (Feb. 1997)
		Zhong, "Conformational Mimicry of a Chlamydial Neutralization Epitope on Filamentous Phage", <u>Journal of Biological Chemistry</u> , 269(39):24183-24188 (1994)
↓		Zoller and Smith, "Oligonucleotide-directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA", <u>Nucl. Acids Res.</u> , 10(20):6487-6500 (1982)

EXAMINER	T. Williams	DATE CONSIDERED	8/26/03
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			